

CARLSTAR™



THE CARLSTAR GROUP

CARLSTAR™

BRAND BOOK



CARLISLE

branded tires are now

CARLSTAR

Beginning in 2023, Carlisle® branded specialty tires will transition to **Carlstar.**

During the brand transition years, the Carlisle logo will gradually evolve on our marketing collateral and materials to the new Carlstar logo. While the name is evolving, our products will continue to offer best-in-class quality, cutting-edge technology, and top performance within our portfolio of lawn/garden, ATV/UTV, trailers/haulers, agriculture, construction, industrial, and tube/flap market segments.

**This manual contains guidelines and inspiration
for the use of our identity.**

THE STORY OF THE BRAND

In 2014, The Carlstar Group was created from the specialty tire and wheel business of the Carlisle Group of companies. Since then, The Carlstar Group has continued to design, manufacture, sell, and support Carlisle branded tires.

In 2023, the Carlstar brand was introduced to position the company for future growth and continued excellence. We will transition products carrying the Carlisle brand to the Carlstar brand. From now on, the primary brand name will reflect the company name - the company that designs, manufactures, sells, and supports the product.

The Carlstar Group is the industry leader of specialty tires and wheels for the agriculture, construction, lawn and garden, ATV and UTV, high speed trailer, aftermarket automotive wheels, and flat free/manual markets. Headquartered in Franklin, Tennessee, we have a global footprint with well-recognized consumer brands in both domestic and foreign markets. The Carlstar Group employs over 3,400 associates in 14 facilities located in four countries and we have created a culture of converting great ideas into advanced products with a legacy of excellence in product innovation, quality, and customer service.

BEING PART OF A PORTFOLIO

The Carlstar® brand is a part of The Carlstar Group family of brands and will become the primary brand across all specialty tire segments. The Carlisle® brand will remain part of The Carlstar Group portfolio and will diminish in prominence over time.

Our ITP® brand of tires and wheels is an industry leader in the ATV and UTV market segment and offers a broad range of high-performance and extreme offroad capabilities for the powersports enthusiast.

Marastar® provides consumers with products that are easy to purchase and install, and are built to take on everyday challenges. Marastar® is a leading provider of flat-free tires, air-filled tires (pneumatic), residential and contractor wheelbarrows, hand truck tires, and lawnmower tires.

Three additional brands form the core of our wheel product portfolio. The Cragar® brand of styled wheels is iconic in both the vintage and modern muscle car segments. The Black Rock® brand is very popular on wheels for specialty and off-road applications, while the Unique® brand brings stylized steel wheels to the automotive and truck markets.

Our brands represent the identity and reputation of our organization. They communicate our commitment to overall product and service excellence. A brand's recognition and reputation both strongly influence consumers' purchasing decisions. We value the trust that our customers place in our brands and we work hard every day to maintain and enhance our brand reputation.

OUR COMPANY



OUR FAMILY OF BRANDS



TARGET CONSUMER GROUPS

FARMERS "WELCOME TO FARM COUNTRY"

- Agriculture solutions
- Specialty trailer tires and wheels
- ATV / UTV tires

DO IT YOURSELF "PROJECTS WITH MEANING"

- Flat-free technology
- Lawn and garden tires
- Specialty trailer tires and wheels

OUTDOOR ENTHUSIASTS "ESCAPE TO THE OUTDOORS"

- Golf cart tires
- ATV / UTV tires
- Specialty trailer tires and wheels

PROFESSIONALS "WORKING AS HARD AS YOU DO"

- Lawn care and maintenance
- Utility cart vehicles
- Specialty trailer / hauling application
- Agriculture / construction / industrial




PLAY

Consumers rely on our products to move the equipment that brings joy to their lives. Whether they are dedicated to recreational off-roading or enjoy adventure for relaxation, our equipment has them covered. These consumers will have ATVs, boats, RVs, and automotive vehicles that will take them off the beaten path to drive their next off-road adventure.



WORK

Characterized by a need to haul equipment or goods around a work site or farm. Durability is a must. The scope and scale of needs in this segment are vast and include construction sites, farmland, airports, and other large industrial sites. The product set includes construction and agricultural equipment, UTVs, utility trailers, and manual equipment.



THE ORIGIN OF THE LOGO

The new logo was shaped from the original Carlstar Group logo, inheriting its tread block, while at the same time emphasizing its angular character even more.



PREFERRED COBRANDING LOGO STEPS

STEP 1

NOW
(near term)



STEP 2

After Step 1
(intermediate)



STEP 3

Final



PREFERRED COBRANDING LOGO USAGE: BRAND TRANSITION YEAR 1-3

We are implementing a multi-year, phased branding strategy that will give our customers time to adjust to the new brand name.

In the near term our print and digital marketing will create strong visual and mental connections between the Carlisle brand and the Carlstar brand. We will drive home the point that Carlisle-branded tires are now Carlstar.



The vertical layout of the cobranding logo is the preferred option. This can be used either on white or even on an image background if the visibility and separation of the logo is ensured. The vertical logo can even be used as a headline (eg. on a brand image ad, poster, etc).



The cobranding logo with a horizontal layout is to be used in the footer of our marketing materials on a white background supplementing the Carlstar logo in the header.

PREFERRED COBRANDING LOGO USAGE: BRAND TRANSITION YEAR 4

During the intermediate phase, we'll begin to de-emphasize the Carlisle logo by placing the Carlstar logo forward.



The vertical layout of the cobranding logo is the preferred option. This can be used either on white or an image background if the visibility and separation of the logo is ensured.



The cobranding logo with a horizontal layout is preferred to use in the footer of marketing materials on a white background supplementing the Carlstar logo in the header.

PREFERRED COBRANDING LOGO USAGE: BRAND TRANSITION YEAR 5

The Carlstar brand will appear across all marketing communication, thus completing the brand transition for marketing.

On the product front, the current Carlisle logo on the sidewall of the tire will shift to Carlstar in one single step. However, this change will not happen on all products simultaneously. We will prioritize our highest volume products first, and manage the changeover carefully with inventory and customer demand taken fully into account.

The product transition will commence in Q4 2023.



RECOMMENDED MINIMUM CLEAR SPACE OF THE COBRANDING LOGOS



LOGO TO BE USED IN SPECIAL CASES

The horizontal cobranding logo is intended to be placed at the right corner of the footer in most marketing materials. Use the recommended minimum clear space accordingly to determine proper fitment on materials.

PREFERRED LOGO ON MOST MARKETING MATERIALS

When using this logo, make sure to place it on a white or very light area so that the supplemental text is legible. You can even use this logo as a headline in the first transitional phase.

LOGO PLACEMENT DURING THE BRAND TRANSITION PERIOD






During the brand transition period, the logos should be placed on marketing materials as illustrated. Place the parent logo (The Carlstar Group™) in the left upper corner. In the right upper corner, place the Carlstar® logo. In the footer, place the horizontal cobranded logo right-aligned on a white streak. The size of the logo depends on the size of the available space within the material's design.

When determining logo placement, remember to apply the minimum clear space around the logo, and that all elements are clearly visible. If the background is an image, choose appropriate design elements or alter the image with an overlay to fulfill these requirements. In most cases, it is advisable to use The Carlstar Group™ logo in the header, especially during the brand transition period.

CENTER PLACEMENT

If the material is to communicate the change of the brand name itself, the vertical cobranded logo can be used as a headline in centered position. The Carlstar® logo can also be used in center position if the design requires it.

For logo placement rules after the brand transition period see page 15.

-  Parent logo
-  Carlstar® logo
-  Horizontal co-branding logo
-  Vertical co-branding logo: first phase
-  Graphic area



Recommended general layout during the brand transition phase.



The vertical cobranding logo can be used as a headline (eg. on a brand image ad, poster, etc).



General rule for logo layout in marketing materials. Recommended background color for logo area: white.

LOGO PLACEMENT AFTER BRAND TRANSITION


After the brand transition period the only logo that is to be used is the Carlstar® logo. The parent logo (The Carlstar Group™) can also be used, if needed, to supplement the Carlstar® logo. If using the Carlstar® logo in the footer, always place it right-aligned on a white streak.

When determining logo placement, remember to apply the minimum clear space around the logo, and that all elements are clearly visible. If the background is an image, choose appropriate design elements or alter the image with an overlay to fulfill these requirements.

- Parent logo
- Carlstar® logo
- Graphic area
- Family of Brands logos



Layout examples for footer placement



Layout examples for header placement together with the parent logo



Layout examples for Carlstar® logo placement in the footer



Layout examples for Carlstar® logo placement in the header



Example for placing the umbrella brand array

CLEAR SPACE OF THE LOGO – EXCEPTIONS



AN OFFICIAL EXCEPTION

During the rebranding period, the old and new logos fit together in a transitional composition (3 compositions corresponding to the 3 transition stages.) This composition, however, is fixed, and laid out officially by The Carlstar Group. The portions of these cobranding logos should not be altered in any way.

TIGHT SPACE EMERGENCY

A legal exception is when the web URL of The Carlstar Group is needed to be placed under the logo. In that case align the URL to the middle of the clear space area. The basic color of the web URL is black, use PT Sans Bold font in lower case. Ideal proportion of the two logos' width is 2:1.

PREFERRED LOGO USAGE



Preferred logo usage



Inverse logo usage.



The logo can be used on an image background if the logo is clearly visible and separated from image.



Grey logo is to be used in a group with family of brands.



Don't use two colors in the inverse logo.



The individual colors of the logo must be clearly visible and separated from the background.



Use black logo in B&W materials only.



All colors of the logo must be clearly visible and separated from the background.



All colors of the logo must be clearly visible and separated from the background.



ATTENTION!

During the brand transition period the CARLSTAR® logo must be used together with the cobranded logo. (See page 8-10.)



ATTENTION!

During the brand transition period the CARLSTAR® logo must be used with the parent-brand logo. (See page 11.)



No transformations!



No transformations!



No transformations!

THE FAMILY OF BRANDS LOGOS IN A GROUP

In The Carlstar Group corporate communication materials, the parent brand should be displayed as the leading logo with the family of brands logos displaying under its umbrella or following after the parent logo. The family of brands logos can be placed in a linear layout or in a 1-3-3 matrix depending on the design, either in color or a solid gray version.



ATTENTION!

In all cases the group of family of brands logos must be used with the parent-brand logo.
 (See page 15.)

RECOMMENDED MINIMUM CLEAR SPACE




MINIMUM SIZES




Printing minimum size: 16 mm / apx 0.6 in
 Screen minimum size: 80 px

PREFERRED COLORS



PANTONE COATED 661 C


RGB 0, 53, 148
 Hex #003594
 Websafe #003399
 CMYK 100, 75, 0, 6



PANTONE BLACK C


RGB 34, 34, 35
 Hex #222223
 Websafe #333333
 CMYK 75, 66, 59, 77

ALTERNATE COLORS



WHITE

RGB 255, 255, 255
 Hex #ffffff
 Websafe #fff
 CMYK 0, 0, 0, 0



PANTONE 429C

RGB 164, 169, 173
 Hex #A4A9AD
 Websafe #999999
 CMYK 38, 28, 27, 0

The Carlstar® brand inherits its colors from the main brand: The Carlstar Group is recognized by its blue, which should be leveraged in all collateral. The Carlstar Primary color palette is Pantone Coated Black C with Pantone Blue 661C. White is used as an inverse alternate color.

Whenever possible, Carlstar Blue (Pantone 661C) should print as a spot color only. Only use four color process formulas for digital printing.

Colors are based on the PANTONE+ Color Standard. For color matching, refer printers and others suppliers to the current editions of PANTONE Color Formula Guide. The Carlstar Group's Blue and Black colors must print to match PANTONE ink swatches. Since differences in substrates and processes can affect color, the CMYK equivalents provided are guidelines only and should not be considered exact matches. To ensure consistent results, always proof carefully against the PANTONE Color Standard.

NOTE: Colors shown throughout this manual are for example purposes only. For accurate color standards, refer to the current edition of the PANTONE Color Formula Guide.

PRIMARY FONTS

American Captain is the headline font for Carlstar® marketing materials.

AMERICAN CAPTAIN
ABCDEFGHIJKLMN**OP**QRSTUVWXYZ
abcdefghijklmno**pqr**stuvwxyz
1234567890

PT Sans and PT Sans Narrow are the primary font families for bodytext and headlines at H3 level and down in all promotional materials.

PT SANS REGULAR
ABCDEFGHIJKLMN**OP**QRSTUVWXYZ
abcdefghijklmno**pqr**stuvwxyz
1234567890

PT SANS ITALIC
*ABCDEFGHIJKLMN**OP**QRSTUVWXYZ*
*abcdefghijklmno**pqr**stuvwxyz*
1234567890

PT SANS BOLD
ABCDEFGHIJKLMN**OP**QRSTUVWXYZ
abcdefghijklmno**pqr**stuvwxyz
1234567890

PT SANS NARROW REGULAR
ABCDEFGHIJKLMN**OP**QRSTUVWXYZ
abcdefghijklmno**pqr**stuvwxyz
1234567890

PT SANS NARROW BOLD
ABCDEFGHIJKLMN**OP**QRSTUVWXYZ
abcdefghijklmno**pqr**stuvwxyz
1234567890

SECONDARY FONT

The alternate font to be used is Arial. Arial may be used by non-designers, on electronic applications, and templates.

ARIAL
ABCDEFGHIJKLMN**OP**QRSTUVWXYZ
abcdefghijklmno**pqr**stuvwxyz
1234567890

ARIAL ITALIC
*ABCDEFGHIJKLMN**OP**QRSTUVWXYZ*
*abcdefghijklmno**pqr**stuvwxyz*
1234567890

ARIAL BOLD
ABCDEFGHIJKLMN**OP**QRSTUVWXYZ
abcdefghijklmno**pqr**stuvwxyz
1234567890


TAGLINE

The slogan that originates from the Carlisle tire brand can be used in most cases, either as a sub-heading or in the footer as a slogan.

If you use the Carlstar® logo in the footer, you can associate it with the slogan. You can use the slogan in the footer if the Carlstar® logo is in the header. In this case place the name Carlstar® before the slogan. (See the example on the right side.)

SLOGAN ORIGINATED FROM THE CARLISLE® TIRE BRAND

TIRES THAT WORK AS HARD AS YOU DO!




Slogan in the footer examples

BADGE HANGER AND EVENT PASS



BADGE HANGER

The example above shows how to display the parent company (The Carlstar Group) with the family of brands on a badge hanger.



EVENT PASS

The example above shows how to display the parent company (The Carlstar Group) on an event pass.



FLYER, LEAFLET

The New Carlisle 489 XD[®]

Carlisle launches new 489 XD[®] tire! **UTV & SxS**

FEATURES

- Updated 8 ply rated carcass designed for today's UTVs
- V-shape lug design maintains a smooth ride while providing good clean-out characteristics
- 19.1 mm tread depth provides improved traction in loose and wet terrain
- Robust bias construction is perfect for demanding applications
- Made in USA

Part Number	Size	Ply	Mounted Diameter (mm)	Mounted Width (mm)	Rim Width (in)	Load Capacity (kg)	Rated Speed (km/h)	Max Pressure (bar)	Tire Weight (kg)	Tread Depth (mm)
Carlisle 489 XD										
6P1710	205/80-12 MST (25X8-12) 58K	8	638	191	6.5	515	110	1.4	8.6	19.1
6P1711	280/60-12 MST (25X11-12) 68K	8	656	267	8	236	110	1.4	11.8	19.1
6P1712	205/90-12 MST (26X8-12) 61K	8	666	207	7	257	110	1.4	9.5	19.1
6P1713	230/80-12 MST (26X9-12) 64K	8	665	238	7	280	110	1.4	9.8	19.1
6P1714	280/65-12 MST (26X11-12) 69K	8	649	274	8	525	110	1.4	12.6	19.1
6P1715	230/85-12 MST (27X9-12) 66K	8	692	252	8	300	110	1.4	10.2	19.1
6P1716	280/70-12 MST (27X11-12) 71K	8	696	276	8	345	110	1.4	13.1	19.1

CARLSTAR CARLISLE ITP CRAGAR BLACK ROCK UNIQUE

A/4 SIZED CARLSTAR[®] PRESS RELEASE

The example above shows how to display the parent company (The Carlstar Group) within a brand's advertisement.

New sizes for Hay Rake Machines

Heavy Duty Farm Implement Tires
Specifically Designed for Hay Rake Machines

Features:

- High plunger resistance with specifically designed inner liners and compounds
- Improved self-cleaning achieved by specifically designed breakers in the tread pattern
- The tire is designed for heavy duty conditions resulting in longer life

Product Code	Size	PLY	Load Capacity	Load and Speed Index	Recommended Pressure
6A02351	16x6.50-8 TT	6 PR	280kg (615lbs) @ 30km/h (20mph)	64 / A6	300 kPa / 44 PSI
F6A02351	16x6.50-8 TT (Tube included)	6PR	280kg (615lbs) @ 30km/h (20mph)	64 / A6	300 kPa / 44 PSI
6A02361	16x6.50-8 TT	10 PR	515kg (1140lbs) @ 30km/h (20mph)	85 / A6	510 kPa / 74 PSI
F6A02361	16x6.50-8 TT (Tube included)	10PR	515kg (1140lbs) @ 30km/h (20mph)	85 / A6	510 kPa / 74 PSI
6A03361	15x6.00-6 TT	6PR	302kg (665lbs) @ 30km/h (20mph)	66 / A6	331 kPa / 48 PSI
F6A03361	15x6.00-6 TT (Tube included)	6 PR	302kg (665lbs) @ 30km/h (20mph)	66 / A6	331 kPa / 48 PSI
6A03371	18x8.50-8 TT	6 PR	475kg (1047lbs) @ 30km/h (20mph)	82 / A6	234 kPa / 34 PSI
F6A03371	18x8.50-8 TT (Tube included)	6 PR	475kg (1047lbs) @ 30km/h (20mph)	82 / A6	234 kPa / 34 PSI

For questions or technical information, please contact The Carlstar Group: eucs@carlstargroup.com or visit our website: www.CarlstarGroup.eu

TIRES THAT WORK AS HARD AS YOU DO! CARLSTAR

CARLSTAR CARLISLE ITP CRAGAR BLACK ROCK UNIQUE

A/4 SIZED CARLSTAR[®] BRAND FLYER

The example above shows how to display the parent company (The Carlstar Group) within a brand's advertisement.

The New Carlisle VERSA TURF[®]

Turf friendly Radial tire with the traction of an Ag tire

FEATURES AND BENEFITS

- Radial construction provides improved floatation for better traction and minimizes turf disturbance.
- Directional tread pattern and engineered breaker bars for improved self-cleaning performance.
- Deep tread design for optimal performance in all soil and turf conditions.
- This tire is designed with a greater than 60% deeper tread depth than your standard R3 tire designs.
- Rounded shoulders to minimize turf damage during turns.


Item Number	Size	Star/PR	LI/SI	ECE	Overall	Section Width (mm)	Max Load	Rated speed	Inflation Pressure	Weight (kg)	CoD	EAN
Versa Turf												
4L09621	18x8.50R10 NHS (215/50R10)	4	74/A4	YES	474	188	375	20	1.5	5.7	CN	5999110834917
4L13551	23x8.50R12 NHS (220/65R12)	6	101A2	YES	574	213	825	10	3.5	9.3	CN	5999110834559
4L13941	24x12.00R12 NHS (500/50R12)	4	99A4	YES	607	292	775	20	1.4	12.1	CN	5999110834658
4L0915	26x12.00R12 NHS (505/60R12)	4	100/A4	YES	655	290	800	20	1.4	14.8	US	5999110834924
4L13541	12R16.5 NHS (505/70R16.5)	6	130A2	YES	828	309	1900	10	2.8	27.2	CN	5999110833170

CARLSTAR CARLISLE ITP CRAGAR BLACK ROCK UNIQUE

A/4 SIZED CARLSTAR[®] BRAND FLYER

The example above shows how to display the parent company (The Carlstar Group) within a brand's advertisement.

ADVERTISEMENT EXAMPLES: CARLSTAR®



A/4 SIZED CARLSTAR® ADVERTISEMENT

The example above shows how to communicate the parent company (The Carlstar Group) within a brand's advertisement.



A/4 SIZED CARLSTAR® BRAND ADVERTISEMENTS


The example above shows how to communicate the parent company (The Carlstar Group) within a brand's advertisement.



A/4 SIZED CARLSTAR® ATV/UTV PRODUCT ADVERTISEMENT


The example above shows how to communicate the parent company (The Carlstar Group) within a brand's advertisement.

ADVERTISEMENT EXAMPLES: BLACK ROCK – MARASTAR – UNIQUE – CRAGAR



**A4 SIZED
CRAGAR ADVERTISEMENT**

The example above shows how to display the parent company (The Carlstar Group) within a brand's advertisement.



**A4 SIZED
BLACK ROCK ADVERTISEMENT**

The example above shows how to display the parent company (The Carlstar Group) within a brand's advertisement.



**A4 SIZED
MARASTAR ADVERTISEMENT**

The example above shows how to display the parent company (The Carlstar Group) within a brand's advertisement.



**A4 SIZED
UNIQUE ADVERTISEMENT**

The example above shows how to display the parent company (The Carlstar Group) within a brand's advertisement.

E-NEWSLETTER EXAMPLES

FARM SPECIALIST® TRAC RADIAL
FROM CARLISLE®

SUPER TRACTION FOR ENHANCED USE

UNIQUE TREAD
EXCELLENT PERFORMANCE
LOW ROLLING RESISTANCE
HIGH ENDURANCE

ORDER NOW

The unique tread contour design of the FSTR gives in the field and on the road excellent performance. The pressure of the FSTR is evenly distributed and avoids rutting and soil compaction due to flexible carcass. The tire is built for excellent road performance characteristics, such as low rolling resistance, and gives a high comfort zone and high endurance.

THIS IS FARM SPECIALIST® TRAC RADIAL FROM CARLISLE®

ORDER NOW

CARLSTAR
TIRES THAT WORK AS HARD AS YOU DO

If you want to unsubscribe from the mailing list, please send an e-mail to emarketing@carlstar.com

600 PX WIDE
DIRECT SALES EMAIL FOR CARLSTAR®

The example above shows how to display the parent company (The Carlstar Group) within a brand's advertisement.

NOW AVAILABLE
NEW HEAVY DUTY TIRES FOR YOUR SERVICE

TIRES THAT WORK AS HARD AS YOU DO **CARLSTAR**

We are pleased to announce the expansion of our agricultural portfolio. The following new sizes are available for your service form our heavy duty tires:

ITEM NUMBER	SIZE
51F218	11L-15SL 8PR Implement I-1 TT
51F240	12.5L-15SL 8PR Implement I-1 TT
51F241	12.5L-15SL 10PR Implement I-1 TT
51F244	9.5L-15SL 8PR Implement I-1 TT
51F2441	9.5L-15 8PR Implement I-1 TT
52F244	9.5L-15SL 8PR Implement F-2 TT
52F318	11L-15SL 8PR Implement F-2 TL
52F344	9.5L-15SL 8PR Implement F-2 TL
570131	12-16.5NHS 12PR Guard Dog HD TL
58R2E1	7.50-15NHS 14PR Road Roller TT
6A0086	32x15.5-16.5SL 14PR Farm Specialist I-1 TL

ORDER NOW

FEATURED TIRES

Farm Specialist® I-1 Implement
For Front Tractors, Wagons, Balers Spreaders, Seeders & Feed yard Mixers

Multi rib farm tire designed for flotation for use on farm implements, wagons, tanks, carts and other pull behind vehicles.

ORDER NOW

BUY 10 TIRES AND GET 1 FREE!

Ultra Guard® MX

The Ultra Guard® MX, like the existing Ultra Guard series, is designed for severe duty applications. Yet, it also provides unique tire features specifically designed for mixed surface applications. The Ultra Guard MX includes a premium chip/chunk-resistant compound, reinforced sidewall and rim guard technology to protect against worksite debris. It also features unique shoulder grips to increase bite in soft conditions. The robust center lugs and large contact area of the footprint provide stability, while the deep tread depth offers extended wear and puncture resistance.

ORDER NOW

CARLSTAR
www.carlstar.com

If you want to unsubscribe from the mailing list, please send an e-mail to emarketing@carlstar.com

SPECIAL OFFER FOR MAY!

NEVER A BETTER TIME TO ORDER TIRES & TUBES FROM THE CARLSTAR GROUP!

With our monthly offer you get an extra item for free after every 10th tire or 20th tube on your shopping list. Please check out our list of discounted items for May.

Offered item is decided by price; free item is the lowest priced item on your order.

BUY 10 TIRES AND GET 1 FREE!

ITEM NUMBER	DESCRIPTION
5110961	16x6.50-8 NHS TL 4PR Turf Saver
5112521	15x6.00-6 NHS TL 4PR Turf Master
5114021	16x7.50-8 NHS TL 4PR Turf Master
6L05021	20x8.00-8 Turf Saver 4PLY TL
6L05011	18X9.50-8NHS 4P Turf Saver
6L0160	25x10.50-12 NHS TL 4PR Turf Smart
511116	20x10.00-10 NHS TL 4PR Turf Saver
511121	23x10.50-12 NHS TL 4PR Turf Saver

ORDER NOW

BUY 20 TUBES AND GET 1 FREE!

ITEM NUMBER	DESCRIPTION
320120	350/400-8 TR13
320420	16x6.50/7.50-8 TR13
320030A	5.00-4 TR87
320410	18x6.50/7.50/8.50/9.50-8 20x8.00/10.00-8 TR13
323800	15x6.00-6 TR13
323790	15x5.00-6 TR13
320170	13x6.50-6 TR13
320260	15x5.00-6 TR87DG60
321370	25x8.50/9.50/10.50-12 TR13

ORDER NOW

CARLSTAR
www.carlstar.com

If you want to unsubscribe from the mailing list, please send an e-mail to emarketing@carlstar.com


VIRTUAL BACKGROUND



BACKGROUND VERSION 01



BACKGROUND VERSION 02







BACKGROUND VERSION 03



BACKGROUND VERSION 04

EXAMPLES



BANNER

PHOTO BANNER
WITH UMBRELLA
COMMUNICATION






PHOTO BANNER
WITH A BRAND



EXAMPLE OF A
PHOTO BANNER
WITH UMBRELLA
COMMUNICATION



EXAMPLE OF A
PHOTO BANNER
WITH A BRAND



MERCHANDISE IN THE FIRST BRAND TRANSITION PERIOD



HAT



PEN



CAR AIR FRESHENER



KEY HOLDER



THE CARLSTAR GROUP

Use this style guide to keep The Carlstar Group
brand unified globally.

Created by BolkoDesign in 2023.